EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	763	(network adj address adj translation).ti. or (network adj address adj translation).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 16:27
S2	101	S1 and (@rlad<"20000124" or @ad<"20000124")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 15:08
S3	763	(network adj address adj translation).ti. or (network adj address adj translation).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 15:08
S4	101	S3 and (@rlad<"20000124" or @ad<"20000124")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 15:08
S5	1	S4 and (partition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 16:02
S6	9	S4 and (timeout or ((time or period) near elaps$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 16:02

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2430	(network near topology).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L4	1685	370/254.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L6	0	370/254.clas. and (network near topology).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L11	942	(network near configuration).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L12	0	L11 and 370/254.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L14	0	370/254.ccls and (passive near active near clients).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L15	0	370/254.ccls and (passive near active).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L16	0	370/254.ccls and (passive near active)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54

L17	0	370/254.ccls and (mask$3 near IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L18	0	370/254.ccls and (network near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L19	0	370/254.ccls and (network near address near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L20	1651	370/254.ccls. and (network "adj." address "adj." translat$4)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L22	0	L21 and (active near passive near client$2)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L23	184	"6345294" or "6052718"	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L28	0	(NAT) with (partision) with (server or device) with (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L29	0	(NAT) with (partision) with (server or device)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L30	0	(NAT) with (partision) with (server or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L31	0	(NAT) with (partision) with (server or device) with (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L34	6937	(network same address same translation)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L36	1091	L34 same (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L39	292	L38 and (server or device) same NAT	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L41	7789	709/203.ccls.	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L42	2469	L41 and (network same (topology or configuration))	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54

L43	1610	L41 and (network same (topology or configuration) same server)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L44	1972	L41 and (network same (topology or configuration) same server same partition$4 or divid$4)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L46	1736	711/202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L48	0	L46 same (NAT same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L49	1068	L46 and (partition$4 or divid$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L50	801	L49 and (topology or configuration or arrange$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L61	1651	370/254.ccls. and (network "adj." address "adj." translat$4)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L63	0	370/254.ccls. and (network same (topology or configuration) same (partition or divide or allocate) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L64	0	370/254.ccls. and ((topology or configuration) same (partition or divide or allocate) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L66	2759	370/392.ccls.	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L70	0	"20020038360".pn.	USPAT	OR	OFF	2007/07/31 18:54
L73	0	("network address translat$4") and (partition near servers)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54

L74	0	("network address translation") and (partition near servers)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L75	3183	("network address translation")	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L76	0	L75 and ("network (topology or configuration)")	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L81	0	(network same topology) and (network same address same translatioin) and (server same monitor$3) and (behind same translat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L82	0	(network same topology) and (network same address same translatioin) and (server same monitor$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L83	0	(network same topology) and (network same address same translatioin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L84	0	(network same topology) and (network same address same translatioin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L85	0	(network same (topology or configuration)) and (network same address same translatioin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L86	145965	(network same (topology or configuration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L87	2807	L86 and (NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54

L90	960457	(network "adj." address "adj." translation).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L91	3217	L90 and (partition$3 or divide) same server$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L95	0	("network address translation") and ("partition$3 server$1")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L96	705	("network address translation").ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L98	4711	370/392.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L99	0	L98 and (("network address translation") same partition$3 same (server$1 or workstation$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L100	0	L98 and (("network address translation") same partition$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 18:54
L103	0	(detemin$3 same network same (topology or configuration)) and ("network address translation")	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L105	6621	(partition$4 same server$1)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L108	1678	370/254.ccls.	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54

EAST Search History

L110	181	711/210.ccls.	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L114	0	(NAT same DNS same creat$4 same (sub-domain or workgroup))	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L116	2	(NAT same DNS same partition$4 same (server$1 or workgroup$1 or workstation$1))	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L117	2	(NAT same DNS same partition$4)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L119	0	(NAT same DNS same creat$4 same (sub))	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L126	19	L121 and (NAT or (network$1 adj address$1 adj translat$4)) and (@rlad<"20000124" or @ad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L127	571	(partition$3 near server$1)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L129	22950	(NAT) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L130	23106	(NAT or (network adj address adj translation)) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L131	0	((NAT or (network adj address adj translation)) same (partition$3 near server$1)) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L132	0	((NAT or (network adj address adj translation)) and (partition$3 near server$1)) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L134	432	(NAT or (network adj address adj translation)).ab. or (NAT or (network adj address adj translation)).ti.	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54
L137	0	L134 and (@ad<"20000124" or @rlad<"20000124") and (server$1 near partition$1)	USPAT	OR	OFF	2007/07/31 18:54
L139	741	370/254.ccls.	USPAT	OR	OFF	2007/07/31 18:54
L140	38	L139 and (@ad<"20000124" or @rlad<"20000124") and (partition$1)	USPAT	OR	OFF	2007/07/31 18:54
L143	9	(apparent near source near address)	US-PGPUB; USPAT	OR	OFF	2007/07/31 18:54